

# NG3000 ultra high purity nitrogen generators

Application: GC, ICP, DSC, DMA

Part number: 10-2210 (230v) - UK | 10-2211 (230v) - EU | 10-2230 (110v) - US




## Description

The NG3000 delivers ultra high purity nitrogen at flows of up to 3 L/min for GC, DSC and DMA applications, as well as other laboratory applications requiring up to 3 L/min of ultra high purity nitrogen. The NG series can be supported by in-house air or supplied with an integrated compressor.

To reach their ultra high purity nitrogen output these generators use Pressure Swing Adsorption and a Carbon Molecular Sieve. These separation technologies remove oxygen and other impurities in air, delivering hassle-free, ultra high purity nitrogen, on-demand for the lab.

- **Gas types** Nitrogen
- **Integrated compressor:** No
- **Application Types:** GC, ICP, DSC, DMA



## Key Features

- Suitable for applications such as GC, DSC, DMA
- Suitable for applications requiring ultra high purity
- Available with or without an external compressor
- Contains self-regenerating Carbon Molecular Sieve column
- Gas is supplied on demand so generator works to your schedule
- 12 month comprehensive on-site warranty

## Technical Specifications

NG3000 ultra high purity nitrogen generators	
Gas Type	Nitrogen
Max Gas Flow:	3
Max Output Pressure:	80psi/5.5bar
Max Output Pressure:	80psi/5.5bar
Min Inlet Pressure:	120psi/8.3bar
Max Inlet Pressure:	130psi/9bar
Voltage:	110 / 230 ± 10% VAC
Frequency:	50 / 60 Hz
Current:	0.5 Amps / 1.2 Amps
Max Operating Temp:	25°C / 77°F
Accreditations:	CE
Size (HxWxD) mm	1260 x 430 x 410 mm
Size (HxWxD) Inches	49.6 x 16.9 x 16.1 inches
Generator Weight	77kg / 169.4lbs

# [PEAK Protected]<sup>TM</sup>

Peak Scientific gas generators define the benchmark in reliability, convenience and performance in laboratories around the world, and come backed with a 12 month warranty. Beyond this period however you can ensure that your investment continues to be **[Protected]** by our comprehensive generator care cover.

Our world-class aftercare support packages deliver a program of scheduled preventative maintenance whilst giving you the reassurance of instant access to worldwide technical support and priority on-site response in the untimely event of a breakdown.

- For ordering parts visit: [www.peakscientific.com/ordering/](http://www.peakscientific.com/ordering/)
- For service plans visit: [www.peakscientific.com/service/service-plans/](http://www.peakscientific.com/service/service-plans/)

**Peak Scientific UK**  
Tel: +44 (0)141 812 8100  
Fax: +44 (0)141 812 8200

**Peak Scientific North America**  
Tel: +1-800-767-6532  
Fax: +1-978-608-9503

**Peak Scientific China**  
Tel: +86 21 5079 1190  
Fax: +86 21 5079 1191  
For a full list of our worldwide office locations, please visit:  
Web: [www.peakscientific.com](http://www.peakscientific.com)  
Email: [discover@peakscientific.com](mailto:discover@peakscientific.com)

Peak Scientific's Quality Management System conforms to: ISO:9001



0003