

## Genius 1061 - Nitrogen & dry air gas generator

Application: Shimadzu 8045, 8050 and 8060 LC-MS/MS in Default Gas Mode


Part number: 10-1320



### Description

The Genius 1061 is a dual gas generator providing both nitrogen and dry air designed to meet the specifications of the Shimadzu LC-MS 8050 for labs with an electrical supply up to 100V. This system contains two compressors allowing nitrogen and dry air flows to function independently of one another. The generator is configured to change the flow ratio of nitrogen and dry air, so long as the combined sum results in a total of 25L/min. The gas flow ratio is automatically controlled by the instrument's demand.

- **Gas types** Nitrogen, Air
- **Integrated compressor:** Yes
- **Application Types:** Shimadzu 8045, 8050 and 8060 LC-MS/MS in Default Gas Mode



### Key Features

- Operates in labs with electrical supplies of 100V and below
- Innovative CMS and PSA technology ensures high performance
- Compressor based solution, no need for an external air supply
- Minimal set-up required
- Highly economical source of nitrogen gas with low lifetime running costs
- The latest generation of compressors located in an insulated chamber reducing noise and vibration
- Service indication to allow planning of preventative maintenance
- Gas is supplied on demand so generator works to your schedule
- Wheels make it easy to manoeuvre generator around the lab
- 12 month comprehensive on-site warranty

## Technical Specifications

Genius 1061 - Nitrogen & dry air gas generator	
Gas Type	Nitrogen
Max Gas Flow:	25L/min
Max Output Pressure:	96psi/6.6bar
Gas Type	Air
Max Gas Flow:	25L/min
Max Output Pressure:	100psi/6.9bar
Max Output Pressure:	96psi/6.6bar
Gas Outlets Fitting:	2x 1/4" BSPP
Start Up Time:	30 mins
Power Consumption:	1150 VA
Voltage:	100 ± 10% V
Frequency:	50 / 60 Hz
Current:	12 A
Heat output:	< 3922 BTU
Max Operating Temp:	35°C / 95°F
Particles:	<0.1µm
Accreditations:	CSA, CE
Size (HxWxD) mm	713 x 600 x 750 mm
Size (HxWxD) Inches	28.1 x 23.6 x 29.5 inches
Generator Weight	119kg / 261.8lbs

## [PEAK Protected]<sup>TM</sup>

Peak Scientific gas generators define the benchmark in reliability, convenience and performance in laboratories around the world, and come backed with a 12 month warranty. Beyond this period however you can ensure that your investment continues to be **[Protected]** by our comprehensive generator care cover.

Our world-class aftercare support packages deliver a program of scheduled preventative maintenance whilst giving you the reassurance of instant access to worldwide technical support and priority on-site response in the untimely event of a breakdown.

- For ordering parts visit: [www.peakscientific.com/ordering/](http://www.peakscientific.com/ordering/)
- For service plans visit: [www.peakscientific.com/service/service-plans/](http://www.peakscientific.com/service/service-plans/)

**Peak Scientific UK**  
Tel: +44 (0)141 812 8100  
Fax: +44 (0)141 812 8200

**Peak Scientific North America**  
Tel: +1-800-767-6532  
Fax: +1-978-608-9503

**Peak Scientific China**  
Tel: +86 21 5079 1190  
Fax: +86 21 5079 1191  
For a full list of our worldwide office locations, please visit:  
Web: [www.peakscientific.com](http://www.peakscientific.com)  
Email: [discover@peakscientific.com](mailto:discover@peakscientific.com)

Peak Scientific's Quality Management System conforms to: ISO:9001



0003